



BEAM PROTECTION

TECHNICAL CHARACTERISTICS

This product is intended to protect the arrises that are 1.5 mm (thin sheet metal edge) up to 50 mm thick (concrete edge)



The U-form and cell geometry cover the most salient part of the edge with a good impact protection. The protective cover is simply glued on every kind of support: steel, aluminum, wood or concrete.

Application places: IPN post, the edge of metal step...

Quality	Hardness Shore A	Resistance					
		Break MPA	At elongation	Break	oils	Detergents	Acids
SEBS	65	10.6	700%	32 kN/m	Medium	Excellent	Excellent

Quality	Resistance to ultraviolets	Antifungic treatment
SEBS	Excellent	Yes

1.5 mm GROOVE



Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
1.5	7.5	4.5	1.5	50


Product made on request (approximative time: 5 weeks)

Possible colors






3 mm GROOVE



Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
4	9.5	6	3	10

Product made on request (approximative time: 5 weeks)



5 mm GROOVE



Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
9	13	13	5	10

Product made on request (approximative time: 5 weeks)

8 mm GROOVE



Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
10	17	16	8	2*

Product made on request (approximative time: 5 weeks)



*According to the quantities you wish to have, we can suggest you different 2 m lengths

Possible colors





10 mm GROOVE




Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
11.5	18.5	16	10	2*

Product made on request (approximative time: 5 weeks)

*According to the quantities you wish to have, we can suggest you different 2 m lengths

12 mm GROOVE





Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
12	17	20	12	2*

Product made on request (approximative time: 5 weeks)

*According to the quantities you wish to have, we can suggest you different 2 m lengths

15 mm GROOVE



Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
15	15	18	15	2*

Product made on request (approximative time: 5 weeks)


*According to the quantities you wish to have, we can suggest you different 2 m lengths

Possible colors





20 mm GROOVE




Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
14	19	32	20	2*

Product made on request (approximative time: 5 weeks)

*According to the quantities you wish to have, we can suggest you different 2 m lengths

25 mm GROOVE





Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
12	18	37	25	2*

Product made on request (approximative time: 5 weeks)

*According to the quantities you wish to have, we can suggest you different 2 m lengths

30 mm GROOVE



Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
14	21	41	30	2*

Product made on request (approximative time: 5 weeks)


*According to the quantities you wish to have, we can suggest you different 2 m lengths

Possible colors





40, 45 and 50 mm GROOVE




Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
16	44	62	40	2*
16	44	62	45	2*
17	44	64	50	2*

Product made on request (approximative time: 5 weeks)

*According to the quantities you wish to have, we can suggest you different 2 m lengths

60 and 85 mm GROOVE :




Dimensional characteristics				
A (mm)	B (mm)	C (mm)	é (mm)	L (m)
15	50	110	60 up to 85	2*

Product made on request (approximative time: 5 weeks)

*According to the quantities you wish to have, we can suggest you different 2 m lengths

60 up to 85 mm GROOVE :



Dimensional characteristics					
A (mm)	B (mm)	C (mm)	D (mm)	é (mm)	L (m)
172	160	5	5	10	2*

Product made on request (approximative time: 5 weeks)

*According to the quantities you wish to have, we can suggest you different 2 m lengths

Possible colors

